

DECKING SPECIFICATION TABLE

Pioneer

REAL WOOD REPLICATED IN A REINFORCED PVC COMPOSITE



Image	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m²)	Span	Fastener type	Fasteners /m²	Slip rating
		PIONEER Grooved profile	Polymer wear layer	145 x 21 mm	5450 mm	2.2	6.7	450 mm	Chain collated clips	16 clips	P4
		PIONEER Starter board profile	Polymer wear layer	145 x 21 mm	5450 mm	2.4	6.7	450 mm	Chain collated clips and face fasteners	16 Clips and 16 screws	P4

Infinity IS

LIGHTWEIGHT, CAPPED
BAMBOO COMPOSITE




Image	Fire rating	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m²)	Span	Fastener type	Fasteners /m²	Slip rating
			Infinity I-Series Grooved profile	Engineered polymer	135 x 25.4 mm	5450 mm	2.8	7.1	450 mm	Chain collated clips	18 clips	P2
			Infinity I-Series Starter board	Engineered polymer	135 x 25.4 mm	5450 mm	2.7	7.1	450 mm	Chain collated clips	18 Clips and 18 screws	P2







Before installing, scan the QR code to read and download the latest installation guides.
Please visit www.eva-last.net.au for more information.

Distributed by: ITI Australia
Contact: ITI TAS (Tasmania): (03) 9111 9300
Email: salestas@iti.net.au
17 Bell Bay Road, Bell Bay, TAS, 7253

Distributed by:

ITI Australia
Innovative Timber Ideas
itiaustralia.com.au

Image	Profile	Description	Material	Gap	Timber fastener	Metal fastener	Qty/pack	Coating	Colour	Comments
		CHAIN collated clip and screw for timber frames	Polymer coated stainless steel	6 mm	✓	-	150	PE polymer	Black	-
		CHAIN collated clip and screw for metal frames	Polymer coated stainless steel	6 mm	-	✓	150	PE polymer	Black	-
		CHAIN T15 Bit	-	N/A	N/A	N/A	2	-	Silver	Sold separately.
		CHAIN hand tool	Stainless steel	N/A	N/A	N/A	2	Powder coated	Black	Hand tool sold separately. T15 Bit included.
		Composite decking screw (CDS)	Stainless steel (SS316)	N/A	✓	-	75	Zinc-epoxy coating	Range of colours	TX20 Bit included
		Metal frame decking screw (MDS)	Carbon steel (C1022)	N/A	-	✓	75	Zinc-epoxy coating	Range of colours	TX20 Bit included



Before installing, scan the QR code to read and download the latest installation guides.
Please visit www.eva-last.net.au for more information.

Distributed by: ITI Australia
Contact: ITI TAS (Tasmania): (03) 9111 9300
Email: salestas@iti.net.au
17 Bell Bay Road, Bell Bay, TAS, 7253

Distributed by:



COLOUR	PIONEER	APEX PLUS	INFINITY
 LIGHT GREY	Weathered Blackbutt	-	Caribbean Coral
 DARK GREY	-	Alsakan Driftwood	Cape Town Grey
 BEIGE	Blackbutt Natural Blackbutt	Himalayan Cedar	
 TAN BROWN	Spotted Gum	-	-
 LIGHT BROWN	-	Hawaiian Walnut	Oasis Palm Spanish Saffron
 BROWN	-	-	Tiger Cove



Before installing, scan the QR code to read and download the latest installation guides.
Please visit www.eva-last.net.au for more information.

Distributed by: ITI Australia
Contact: ITI TAS (Tasmania): (03) 9111 9300
Email: salestas@iti.net.au
17 Bell Bay Road, Bell Bay, TAS, 7253

Distributed by:

