

DECKING SPECIFICATION TABLE

Pioneer

REAL WOOD REPLICATED IN A
REINFORCED PVC COMPOSITE



Image	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m²)	Span	Fastener type	Fasteners /m²	Slip rating
		PIONEER Grooved profile	Polymer wear layer	145 x 21 mm	5450 mm	2.2	6.7	450 mm	Chain collated clips	16 clips	P4
		PIONEER Starter board profile	Polymer wear layer	145 x 21 mm	5450 mm	2.4	6.7	450 mm	Chain collated clips and face fasteners	16 Clips and 16 screws	P4

Apex PLUS

REINFORCED, CAPPED BAMBOO-PVC COMPOSITE




Image	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m²)	Span	Fastener type	Fasteners /m²	Slip rating
		APEX PLUS Grooved profile	Engineered acrylic polymer	190 x 24 mm	5450 mm	3.8	5.1	450 mm	Chain collated clip	13 clips	P5
		APEX PLUS Square edge profile	Engineered acrylic polymer	190 x 24 mm	5450 mm	3.9	5.1	450 mm	Face fastener	39 screws	P5



Before installing, scan the QR code to read and download the latest installation guides.
Please visit www.eva-last.net.au for more information.

ITI WA (Perth): 08 9256 5700 | email: saleswa@iti.net.au
102-108 Bannister Rd, Canning Vale, WA 6155

Distributed by:

ITI Australia
Innovative Timber Ideas itiaustralia.com.au

DECKING SPECIFICATION TABLE



**LIGHTWEIGHT, CAPPED
BAMBOO COMPOSITE**




Image	Image	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m²)	Span	Fastener type	Fasteners /m²	Slip rating
			Infinity I-Series Grooved profile	Engineered polymer	135 x 25.4 mm	5450 mm	2.8	7.1	450 mm	Chain collated clips	18 clips	P2
			Infinity I-Series Starter board	Engineered polymer	135 x 25.4 mm	5450 mm	2.7	7.1	450 mm	Chain collated clips	18 Clips and 18 screws	P2
			Infinity fascia profile	Engineered polymer	150 x 12 mm	4800 mm	2.3	6.7	400 mm Vertically only	Face fastener	36 screws	N/A
			Infinity screen profile	Engineered polymer	70 x 16 mm	5450 mm	1.4	13.2	450 mm spans up to the N5 wind speed category	Face fastener	60 screws	N/A



Before installing, scan the QR code to read and download the latest installation guides.
Please visit www.eva-last.net.au for more information.

ITI WA (Perth): 08 9256 5700 | email: saleswa@iti.net.au
102-108 Bannister Rd, Canning Vale, WA 6155

Distributed by:



Image	Profile	Description	Material	Gap	Timber fastener	Metal fastener	Qty/pack	Coating	Colour	Comments
		CHAIN collated clip and screw for timber frames	Polymer coated stainless steel	6 mm	✓	-	150	PE polymer	Black	-
		CHAIN collated clip and screw for metal frames	Polymer coated stainless steel	6 mm	-	✓	150	PE polymer	Black	-
		CHAIN T15 Bit	-	N/A	N/A	N/A	2	-	Silver	Sold separately.
		CHAIN hand tool	Stainless steel	N/A	N/A	N/A	2	Powder coated	Black	Hand tool sold separately. T15 Bit included.
		Composite decking screw (CDS)	Stainless steel (SS316)	N/A	✓	-	75	Zinc-epoxy coating	Range of colours	TX20 Bit included
		Metal frame decking screw (MDS)	Carbon steel (C1022)	N/A	-	✓	75	Zinc-epoxy coating	Range of colours	TX20 Bit included



Before installing, scan the QR code to read and download the latest installation guides.
Please visit www.eva-last.net.au for more information.

ITI WA (Perth): 08 9256 5700 | email: saleswa@iti.net.au
102-108 Bannister Rd, Canning Vale, WA 6155

Distributed by: