HULK FASTENERS.

FASTENED, FOR LIFE.



www.eva-last.com



HIDDEN FASTENERS

CLIP & CLIP SCREW PRODUCT RANGE

S-SERIES CLIP

Eva-Last created the S-Series clip to match the life expectancy and durability of Eva-Last composite decking materials. This product laid the foundation for the hidden fastener: no more protruding screws, no more ruined finishes, no more untidy aesthetics.

These clips are designed to be used with HULK clip screws to provide a hidden fastening system that gives a clean, neat finish to your deck installation.



S6 CLIP

Use for fastening grooved deck boards with a foot height of approximately 6 mm. The S6 clip works with both the metal and timber clip screw.



S9 CLIP

Use for fastening grooved deck boards with a foot height of approximately 9 mm. The S9 clip works with both the metal and timber clip screw.



FASTENERS

TIMBER CLIP SCREW

This screw is specifically designed for use with the HULK hidden deck clips to fasten the deck boards to timber substructure. No pre-drilling required.*



METAL CLIP SCREW

This screw is specifically designed for use with the HULK hidden deck clips to fasten the deck boards to metal substructure. Suitable for metal structures between 0.8 mm and 2.0 mm. No predrilling required.*





HIGH TECHNOLOGY MATCHING SCREWS

Colour matching HULK top fixing and trim screws for use with wood or metal frames are available in a variety of natural shades, and offer a tough and durable protective coating. Marine grade stainless steel screws are recommended for Class 5 regions. Stainless or nanocoated carbon screws are best for Class 4 regions and include a 15-year warranty.

COMPOSITE DECK SCREWS

composite deck screw for top fixing decking to timber frames*

WHITE **LIGHT GREY BEIGE TAN BROWN LIGHT BROWN BROWN RED BROWN DARK BROWN DARK GREY**

METAL DECK SCREW

Metal deck screw for top fixing decking to metal frames



White Composite deck screw made to order, MOQs apply.


COMPOSITE DECK SCREWS

This screw is specifically designed for fastening 20 to 30 mm composite deck boards onto timber frames. Countersinking heads are coloured to match your deck to leave a neat surface finish.












PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Baobab (STW192)			



APEX & APEX PLUS	INFINITY	EVA-TECH
Arctic Birch (CG005) - Recommended	Caribbean Coral (C70) - Recommended	Xavia (C11 & CC11)
Cloud Grey (CG027) - Recommended	Pacific Pearl (C69) - Recommended	
Grey Slate (CG021)	Sapphire Silver (C10) - Recommended	
Misty Grey (CG023) - Recommended		
	Arctic Birch (CG005) - Recommended Cloud Grey (CG027) - Recommended Grey Slate (CG021)	Arctic Birch (CG005) - Recommended Cloud Grey (CG027) - Recommended Pacific Pearl (C69) - Recommended Grey Slate (CG021) Sapphire Silver (C10) - Recommended



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
	Alaskan Driftwood (CG011) - Recommended	Baltic Nero (CO2) - Recommended	Xavia (C11 & CC11) - Recommended
	Grey Slate (CG021) - Recommended	Caribbean Coral (C70)	
	Siberian Bark (CD002) - Recommended	Concrete Grey (C94) - Recommended	
		Cape Town Grey (C11) - Recommended	
		Pacific Pearl (C69)	

COMPOSITE DECK SCREWS





PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Barrel Oak (ST362W-15) - Recommended	Arctic Birch (CG005)	Alpine Mist (C26) - Recommended	Savanna (C19 & CC19)
Blackbutt (STW281-1) - Recommended	Cedar Rose (CB022) - Recommended	Sahara Sand (C12) - Recommended	
Natural Blackbutt (STW264-1) - Recommended	Cinnamon Oak (CLO26) - Recommended	Swiss Oak (C92) - Recommended	
Bur Oak (ST362W-27) - Recommended	Swedish Oak (CL016) - Recommended	Vintage Cream (C96) - Recommended	
Darker Oak (STW152-7) - Recommended			
Jacaranda (STW052) - Recommended			
Light Oak (TW152-6) - Recommended			
Marula (STW066) - Recommended			
Spotted Gum (SDW265-1) - Recommended			
Weathered Ash (ST362W-22)			



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003) - Recommended	Himalayan Cedar (CL014) - Recommended	Fire Koa (C24) - Recommended	Savanna (C19 & CC19) - Recommended
Barrel Oak (ST362W-15)	Natural Cedar (CB024) - Recommended	Teak Thai (C14) - Recommended	
Blackbutt (STW281-1)			
Bur Oak (ST362W-27)			
Hickory (STW040-4) - Recommended			
Jacaranda (STW052)			
Marula (STW066)			



Spotted Gum (SDW265-1)			
PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003) - Recommended	Brazilian Teak (CB010)	Oasis Palm (C76) - Recommended	
African Teak (STW138) - Recommended	Chestnut Cedar (CB022)	Swiss Oak (C92)	
Natural Blackbutt (STW264-1)	Himalayan Cedar (CL014)		
Darker Oak (STW152-7)	Natural Cedar (CB024)		
Lighter Oak (TW152-6)	Western Red Cedar (CB025)		
Spotted Gum (STW265-1)			

COMPOSITE DECK SCREWS






PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Jackalberry (STW056)	Brazilian Teak (CB010) - Recommended	Tiger Cove (C06) - Recommended	Aruna (C05 & CC05)
Natural Ipe (STW255-1) - Recommended	Carbonised Osage (CD019)		Rusteak (C04 & CC04)
Washed Wenge (STW058) - Recommended	Hawaiian Walnut (CB013) - Recommended		
	Island Mahogany (CB015)		



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003)	Chestnut Cedar (CB022) - Recommended	Copper Canyon (CO8) - Recommended	
Hickory (STW040-4)	Island Mahogany (CB015) - Recommended	Kona Sunset (C09) - Recommended	
	Western Red Cedar (CB025) - Recommended	Oasis Palm (C76)	
		Spanish Saffron (C07) - Recommended	



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Jackalberry (STW056) - Recommended	Alaskan Driftwood (CG011)	Espresso Roast (C15) - Recommended	Aruna (C05 & CC05) - Recommended
Washed Wenge (STW058)	Carbonised Osage (CD019) - Recommended	Spanish Saffron (C07)	Rusteak (C04 & CC04) - Recommended
	Charred Cedar (CD020) - Recommended		

METAL DECK SCREWS


Use the metal deck screw for fastening 20 to 25 mm thick composite deck boards onto most metal frames without having to pre-drill unless specified by the decking manufacturer. This screw is suitable for fastening deck boards onto metal frames of up to 2.0 mm without having to pre-drill; thereafter it is advisable to pre-drill. The detachable reamer wing is only operational in steel upward of 0.8 mm thick. For a tight grip ensure that the wing has broken off.








PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Baobab (STW192)			



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Baobab (STW192) - Recommended	Arctic Birch (CG005) - Recommended	Caribbean Coral (C70) - Recommended	Xavia (C11 & CC11)
Weathered Ash (ST362W-22) - Recommended	Cloud Grey (CG027) - Recommended	Pacific Pearl (C69) - Recommended	
White Acacia (STWBFN) - Recommended	Grey Slate (CG021)	Sapphire Silver (C10) - Recommended	
	Misty Grey (CG023) - Recommended		



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
	Alaskan Driftwood (CG011) - Recommended	Baltic Nero (CO2) - Recommended	Xavia (C11 & CC11) - Recommended
	Grey Slate (CG021) - Recommended	Caribbean Coral (C70)	
	Siberian Bark (CD002) - Recommended	Concrete Grey (C94) - Recommended	
		Cape Town Grey (C11) - Recommended	
		Pacific Pearl (C69)	

METAL DECK SCREWS





PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Barrel Oak (ST362W-15) - Recommended	Arctic Birch (CG005)	Alpine Mist (C26) - Recommended	Savanna (C19 & CC19)
Blackbutt (STW281-1) - Recommended	Cedar Rose (CB022) - Recommended	Sahara Sand (C12) - Recommended	
Natural Blackbutt (STW264-1) - Recommended	Cinnamon Oak (CLO26) - Recommended	Swiss Oak (C92) - Recommended	
Bur Oak (ST362W-27) - Recommended	Swedish Oak (CL016) - Recommended	Vintage Cream (C96) - Recommended	
Darker Oak (STW152-7) - Recommended			
Jacaranda (STW052) - Recommended			
Light Oak (TW152-6) - Recommended			
Marula (STW066) - Recommended			
Spotted Gum (SDW265-1) - Recommended			
Weathered Ash (ST362W-22)			



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003) - Recommended	Himalayan Cedar (CL014) - Recommended	Fire Koa (C24) - Recommended	Savanna (C19 & CC19) - Recommended
Barrel Oak (ST362W-15)	Natural Cedar (CB024) - Recommended	Teak Thai (C14) - Recommended	
Blackbutt (STW281-1)			
Bur Oak (ST362W-27)			
Hickory (STW040-4) - Recommended			
Jacaranda (STW052)			



Marula (STW066)



opotica odiff(obw203 1)			
PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003) - Recommended	Brazilian Teak (CB010)	Oasis Palm (C76) - Recommended	
African Teak (STW138) - Recommended	Chestnut Cedar (CB022)	Swiss Oak (C92)	
Natural Blackbutt (STW264-1)	Himalayan Cedar (CL014)		
Darker Oak (STW152-7)	Natural Cedar (CB024)		
Lighter Oak (TW152-6)	Western Red Cedar (CB025)		
Spotted Gum (STW265-1)			

METAL DECK SCREWS





PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Jackalberry (STW056)	Brazilian Teak (CB010) - Recommended	Tiger Cove (C06) - Recommended	Aruna (C05 & CC05)
Natural Ipe (STW255-1) - Recommended	Carbonised Osage (CD019)		Rusteak (CO4 & CCO4)
Washed Wenge (STW058) - Recommended	Hawaiian Walnut (CB013) - Recommended		
	Island Mahogany (CB015)		




PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003)	Chestnut Cedar (CB022) - Recommended	Copper Canyon (CO8) - Recommended	
Hickory (STW040-4)	Island Mahogany (CB015) - Recommended	Kona Sunset (CO9) - Recommended	
	Western Red Cedar (CB025) - Recommended	Oasis Palm (C76)	
		Spanish Saffron (CO7) - Recommended	



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Jackalberry (STW056) - Recommended	Alaskan Driftwood (CG011)	Espresso Roast (C15) - Recommended	Aruna (C05 & CC05) - Recommended
Washed Wenge (STW058)	Carbonised Osage (CD019) - Recommended	Spanish Saffron (C07)	Rusteak (C04 & CC04) - Recommended
	Charred Cedar (CD020) - Recommended		



composite trim screw for top fixing decking to timber frames*



WHITE

LIGHT GREY

BEIGE

TAN BROWN

LIGHT BROWN

BROWN

RED BROWN

DARK BROWN

DARK GREY

METAL TRIM SCREW

Composite trim screw for top fixing decking to metal frames



White Timber Trim Screws only available in Stainless Red Brown Timber Trim Screws made to order. MOQs apply.

Use the timber trim screw for fastening composite or timber fascia boards of up to 18 mm thick onto timber frames without having to pre-drill unless specified by the decking manufacturer. It is suitable for softwood and most hard-woods frames. Pre-drilling may be required for dense hardwood frames.










PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Baobab (STW192)			



APEX & APEX PLUS	INFINITY	EVA-TECH
Arctic Birch (CG005) - Recommended	Caribbean Coral (C70) - Recommended	Xavia (C11 & CC11)
Cloud Grey (CG027) - Recommended	Pacific Pearl (C69) - Recommended	
Grey Slate (CG021)	Sapphire Silver (C10) - Recommended	
Misty Grey (CG023) - Recommended		
	Arctic Birch (CG005) - Recommended Cloud Grey (CG027) - Recommended Grey Slate (CG021)	Arctic Birch (CG005) - Recommended Cloud Grey (CG027) - Recommended Pacific Pearl (C69) - Recommended Grey Slate (CG021) Sapphire Silver (C10) - Recommended



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
	Alaskan Driftwood (CG011) - Recommended	Baltic Nero (CO2) - Recommended	Xavia (C11 & CC11) - Recommended
	Grey Slate (CG021) - Recommended	Caribbean Coral (C70)	
	Siberian Bark (CD002) - Recommended	Concrete Grey (C94) - Recommended	
		Cape Town Grey (C11) - Recommended	
		Pacific Pearl (C69)	





PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Barrel Oak (ST362W-15) - Recommended	Arctic Birch (CG005)	Alpine Mist (C26) - Recommended	Savanna (C19 & CC19)
Blackbutt (STW281-1) - Recommended	Cedar Rose (CB022) - Recommended	Sahara Sand (C12) - Recommended	
Natural Blackbutt (STW264-1) - Recommended	Cinnamon Oak (CLO26) - Recommended	Swiss Oak (C92) - Recommended	
Bur Oak (ST362W-27) - Recommended	Swedish Oak (CL016) - Recommended	Vintage Cream (C96) - Recommended	
Darker Oak (STW152-7) - Recommended			
Jacaranda (STW052) - Recommended			
Light Oak (TW152-6) - Recommended			
Marula (STW066) - Recommended			
Spotted Gum (SDW265-1) - Recommended			
Weathered Ash (ST362W-22)			



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003) - Recommended	Himalayan Cedar (CL014) - Recommended	Fire Koa (C24) - Recommended	Savanna (C19 & CC19) - Recommended
Barrel Oak (ST362W-15)	Natural Cedar (CB024) - Recommended	Teak Thai (C14) - Recommended	
Blackbutt (STW281-1)			
Bur Oak (ST362W-27)			
Hickory (STW040-4) - Recommended			
Jacaranda (STW052)			



Spotted Gum (SDW265-1)

Marula (STW066)

PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003) - Recommended	Brazilian Teak (CB010)	Oasis Palm (C76) - Recommended	
African Teak (STW138) - Recommended	Chestnut Cedar (CB022)	Swiss Oak (C92)	
Natural Blackbutt (STW264-1)	Himalayan Cedar (CL014)		
Darker Oak (STW152-7)	Natural Cedar (CB024)		
Lighter Oak (TW152-6)	Western Red Cedar (CB025)		
Spotted Gum (STW265-1)			





PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Jackalberry (STW056)	Brazilian Teak (CB010) - Recommended	Tiger Cove (CO6) - Recommended	Aruna (C05 & CC05)
Natural Ipe (STW255-1) - Recommended	Carbonised Osage (CD019)		Rusteak (CO4 & CCO4)
Washed Wenge (STW058) - Recommended	Hawaiian Walnut (CB013) - Recommended		
	Island Mahogany (CB015)		



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003)	Chestnut Cedar (CB022) - Recommended	Copper Canyon (CO8) - Recommended	
Hickory (STW040-4)	Island Mahogany (CB015) - Recommended	Kona Sunset (C09) - Recommended	
	Western Red Cedar (CB025) - Recommended	Oasis Palm (C76)	
		Spanish Saffron (CO7) - Recommended	



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Jackalberry (STW056) - Recommended	Alaskan Driftwood (CG011)	Espresso Roast (C15) - Recommended	Aruna (C05 & CC05) - Recommended
Washed Wenge (STW058)	Carbonised Osage (CD019) - Recommended	Spanish Saffron (C07)	Rusteak (C04 & CC04) - Recommended
	Charred Cedar (CD020) - Recommended		

METAL TRIM SCREWS

The screw is specifically designed for the vertical application of thinner composite profiles ranging from 10 to 18 mm thickness onto metal structures without having to pre-drill.*









PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Baobab (STW192)			



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Baobab (STW192) - Recommended	Arctic Birch (CG005) - Recommended	Caribbean Coral (C70) - Recommended	Xavia (C11 & CC11)
Weathered Ash (ST362W-22) - Recommended	Cloud Grey (CG027) - Recommended	Pacific Pearl (C69) - Recommended	
White Acacia (STWBFN) - Recommended	Grey Slate (CG021)	Sapphire Silver (C10) - Recommended	
	Misty Grey (CG023) - Recommended		



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
	Alaskan Driftwood (CG011) - Recommended	Baltic Nero (CO2) - Recommended	Xavia (C11 & CC11) - Recommended
	Grey Slate (CG021) - Recommended	Caribbean Coral (C70)	
	Siberian Bark (CD002) - Recommended	Concrete Grey (C94) - Recommended	
		Cape Town Grey (C11) - Recommended	
		Pacific Pearl (C69)	

METAL TRIM SCREWS





PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Barrel Oak (ST362W-15) - Recommended	Arctic Birch (CG005)	Alpine Mist (C26) - Recommended	Savanna (C19 & CC19)
Blackbutt (STW281-1) - Recommended	Cedar Rose (CB022) - Recommended	Sahara Sand (C12) - Recommended	
Natural Blackbutt (STW264-1) - Recommended	Cinnamon Oak (CLO26) - Recommended	Swiss Oak (C92) - Recommended	
Bur Oak (ST362W-27) - Recommended	Swedish Oak (CL016) - Recommended	Vintage Cream (C96) - Recommended	
Darker Oak (STW152-7) - Recommended			
Jacaranda (STW052) - Recommended			
Light Oak (TW152-6) - Recommended			
Marula (STW066) - Recommended			
Spotted Gum (SDW265-1) - Recommended			
Weathered Ash (ST362W-22)			



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003) - Recommended	Himalayan Cedar (CL014) - Recommended	Fire Koa (C24) - Recommended	Savanna (C19 & CC19) - Recommended
Barrel Oak (ST362W-15)	Natural Cedar (CB024) - Recommended	Teak Thai (C14) - Recommended	
Blackbutt (STW281-1)			
Bur Oak (ST362W-27)			
Hickory (STW040-4) - Recommended			
Jacaranda (STW052)			
Marula (STW066)			



Spotted Gum (SDW265-1)

PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003) - Recommended	Brazilian Teak (CB010)	Oasis Palm (C76) - Recommended	
African Teak (STW138) - Recommended	Chestnut Cedar (CB022)	Swiss Oak (C92)	
Natural Blackbutt (STW264-1)	Himalayan Cedar (CL014)		
Darker Oak (STW152-7)	Natural Cedar (CB024)		
Lighter Oak (TW152-6)	Western Red Cedar (CB025)		
Spotted Gum (STW265-1)			

METAL TRIM SCREWS





PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Jackalberry (STW056)	Brazilian Teak (CB010) - Recommended	Tiger Cove (C06) - Recommended	Aruna (C05 & CC05)
Natural Ipe (STW255-1) - Recommended	Carbonised Osage (CD019)		Rusteak (CO4 & CCO4)
Washed Wenge (STW058) - Recommended	Hawaiian Walnut (CB013) - Recommended		
	Island Mahogany (CB015)		



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Acacia (STW003)	Chestnut Cedar (CB022) - Recommended	Copper Canyon (CO8) - Recommended	
Hickory (STW040-4)	Island Mahogany (CB015) - Recommended	Kona Sunset (CO9) - Recommended	
	Western Red Cedar (CB025) - Recommended	Oasis Palm (C76)	
		Spanish Saffron (C07) - Recommended	



PIONEER	APEX & APEX PLUS	INFINITY	EVA-TECH
Jackalberry (STW056) - Recommended	Alaskan Driftwood (CG011)	Espresso Roast (C15) - Recommended	Aruna (C05 & CC05) - Recommended
Washed Wenge (STW058)	Carbonised Osage (CD019) - Recommended	Spanish Saffron (C07)	Rusteak (C04 & CC04) - Recommended
	Charred Cedar (CD020) - Recommended		

