



DECKING SPECIFICATION TABLE

Pioneer

REAL WOOD REPLICATED IN A
REINFORCED PVC COMPOSITE

Blackbutt Natural

Spotted Gum

Image	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m ²)	Span	Fastener type	Fasteners /m ²	Slip rating
		PIONEER Grooved profile	Polymer wear layer	145 x 21 mm	5450 mm	2.68	6.7	450 mm	Chain collated clips	16 clips	P4
		PIONEER Starter board profile	Polymer wear layer	145 x 21 mm	5450 mm	2.72	6.7	450 mm	Chain collated clips and face fasteners	16 Clips and 16 screws	P4

Infinity IS


LIGHTWEIGHT, CAPPED
COMPOSITE DECKING

Caribbean Coral

Concrete Grey

Oasis Palm

Tiger Cove

Image	Profile	Description	Cap material	Dimensions	Lengths	Mass (kg/m)	Coverage (m/m ²)	Span	Fastener type	Fasteners /m ²	Slip rating
		Infinity I-Series Grooved profile	Engineered polymer	135 x 25.4 mm	5450 mm	2.8	7.1	450 mm	Hidden clip	18 clips	P2
		Infinity I-Series Starter board profile	Engineered polymer	135 x 25.4 mm	5450 mm	2.7	7.1	450 mm	Hidden clip & face fastener	18 Clips and 18 screws	P2
		Infinity I-Series Fascia board profile	Engineered polymer	304 x 18 mm	3600 mm	6.85	7.1	450 mm	Top fixing screws	-	P2



Before installing, scan the QR code to read and download the latest installation guides.
Product offerings may vary by region. Check with your local suppliers for the product and colour ranges available in your area.
Please visit www.eva-last.net.au for more information.

Distributed by: ITI Australia

Contact: ITI VIC (Melbourne): 03 9392 8400

Email: salesvic@iti.net.au

68-80 Kirkham Rd West, Keysborough VIC 3173

DECKING SPECIFICATION TABLE

LIFESPAN
COMPOSITE ARCHITECTURAL BEAMS

HYBRID ALUMINIUM COMPOSITE BEAM



Image	Profile	Description	Dimensions	Lengths	Mass (kg/m)	Image	Cap material	Comments
		Hollow aluminium composite beam	50 x 30 mm	5800 mm	0.8		Composite end cap	End caps sold separately
		Hollow aluminium composite beam	100 x 30 mm	5800 mm	1.3		Composite end cap	End caps sold separately
		Hollow aluminium composite beam	150 x 50 mm	5800 mm	3.3		Composite end cap	End caps sold separately

EASYSREENS
SCREENING KIT

SCREENING KIT






Image	Description	Dimensions	Mass (kg)
	Lifespan beams with a concealed fastening kit	100 x 30 x 2700 mm	19.4



Before installing, scan the QR code to read and download the latest installation guides.
Product offerings may vary by region. Check with your local suppliers for the product and colour ranges available in your area.
Please visit www.eva-last.net.au for more information.

Distributed by: ITI Australia
Contact: ITI VIC (Melbourne): 03 9392 8400
Email: salesvic@iti.net.au
68-80 Kirkham Rd West, Keysborough VIC 3173



Image	Profile	Description	Material	Gap	Timber fastener	Metal fastener	Qty/pack	Coating	Colour	Comments
		HULK S-series clip and screw for timber frames	Stainless steel SS305	6 mm	✓	-	125 & 350	Zinc-epoxy coating	Black	Drill bit included
		HULK S-series clip and screw for metal frames	Stainless steel SS410	6 mm	-	✓	125 & 350	Zinc-epoxy coating	Black	Drill bit included
		CHAIN collated clip and screw for timber frames	Polymer coated stainless steel	6 mm	✓	-	150 & 900	PE polymer	Black	-
		CHAIN collated clip and screw for metal frames	Polymer coated stainless steel	6 mm	-	✓	150 & 900	PE polymer	Black	-
		CHAIN T15 Bit	-	N/A	N/A	N/A	2	-	Silver	Sold separately
		CHAIN hand tool	Stainless steel	N/A	N/A	N/A	1	Powder coated	Black	Hand tool sold separately. T15 Bit included.
		Composite decking screw (CDS)	Stainless steel (SS316) & carbon steel (C1022)	N/A	✓	-	75	Zinc-epoxy coating	Range of colours	TX20 Bit included
		Metal frame decking screw (MDS)	Carbon steel (C1022)	N/A	-	✓	75	Zinc-epoxy coating	Range of colours	TX20 Bit included



Before installing, scan the QR code to read and download the latest installation guides.
Product offerings may vary by region. Check with your local suppliers for the product and colour ranges available in your area.
Please visit www.eva-last.net.au for more information.

Distributed by: ITI Australia
Contact: ITI VIC (Melbourne): 03 9392 8400
Email: salesvic@iti.net.au
68-80 Kirkham Rd West, Keysborough VIC 3173

HULK FASTENERS.

COLOUR	PIONEER	INFINITY
 LIGHT GREY	-	Caribbean Coral
 DARK GREY	-	Concrete Grey
 BEIGE	Blackbutt Natural	-
 TAN BROWN	Spotted Gum	-
 LIGHT BROWN	-	Oasis Palm
 BROWN	-	Tiger Grove



Before installing, scan the QR code to read and download the latest installation guides.
Please visit www.eva-last.net.au for more information.

Distributed by: ITI Australia
Contact: ITI SA (Adelaide): 08 8447 0400
Email: salessa@iti.net.au
82 - 94 Grand Trunkway, Port Adelaide SA 5015

Distributed by:
 **ITI Australia**
Innovative Timber Ideas itiaustralia.com.au

HYBRID ALUMINIUM COMPOSITE BEAM




Image	Profile	Description	Dimensions	Lengths	Mass (kg/m)	Image	Cap material	Comments
		Hollow aluminium composite beam	50 x 30 mm	5800 mm	0.8		Composite end cap	End caps sold seperately
		Hollow aluminium composite beam	100 x 30 mm	5800 mm	1.3		Composite end cap	End caps sold seperately
		Hollow aluminium composite beam	150 x 50 mm	5800 mm	3.3		Composite end cap	End caps sold seperately



Before installing, scan the QR code to read and download the latest installation guides.
Product offerings may vary by region. Check with your local suppliers for the product and colour ranges available in your area.
Please visit www.eva-last.net.au for more information.

Distributed by: ITI Australia
Contact: ITI SA (Adelaide): 08 8447 0400
Email: salessa@iti.net.au
82 - 94 Grand Trunkway, Port Adelaide SA 5015